



Plunger Pump Fittings Co., Ltd.

2.188 Inch | 55.575 Millimeter x 2.189 Inch | 55.6 Millimeter x 2.438 Inch | 61.925 Millimeter NTN UCPL-2.3/16 Pillow Block Bearings



Bearing No. UCPL-2.3/16

UCPL-2.3/16 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0
EAN	4547359223309
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	A-UC211-203D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Wide Inner Race Low Base Has Flinger
Long Description	2 Bolt Pillow Block; 2-3/16" Bore; 2-7/16" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable;



Plunger Pump Fittings Co., Ltd.

	Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCPL-2.3/16
B	2.438 Inch 61.925 Millimeter
Bolt Spacing Maximum	0 Inch 0 Millimeter
d	2.188 Inch 55.575 Millimeter
Actual Bolt Center to Center	6.9 Inch 174 Millimeter
Nominal Bolt Center to Center	6.8 Inch 171.5 Millimeter
D	2.189 Inch 55.6 Millimeter
Bolt Spacing Minimum	0 Inch 0 Millimeter
bore diameter:	2.1875 in
overall height:	4.8750 in
bore type:	Round
overall width:	2.3750 in
base to bore centerline:	2.4375 in
operating temperature range:	-40 to 250 ° F ° F
duty type:	Light Duty
radial dynamic load capacity:	43500 N
housing material:	Cast Iron
radial static load capacity:	29200 N
locking device:	Set Screw
manufacturer upc number:	4547359223309



Plunger Pump Fittings Co., Ltd.

overall length:	8.6250 in
-----------------	-----------